

PROTEA



Headless Compression Cannulated Screw



INTRODUCTION

The PROTEA™ Headless Compression Screw is an advanced solution designed for repairing fractures, performing joint fusions, and fixing osteotomies throughout the upper and lower extremities. Advanced implant technology and straightforward instrumentation enable the PROTEA™ systems to be an effective means of fixation for a wide variety of indications.

IMPLANT INFORMATION



Indications

Combining versatility with an excellent rate of fixation and ongoing compression, the PROTEA™ is a great choice for a wide variety of indications, including:

- Scaphoid Fractures
- Subtalar Fusions
- Radial Head Fractures
- IP Fusions

Headless Compression Cannulated Screw - MICRO

REF (SS)	REF (TIT)	Length	Tip Diameters	Tail Diameters
MOI 16301008	MOI 36301008	8 mm	2.5 mm	3.0 mm
MOI 16301009	MOI 36301009	9 mm	2.5 mm	3.0 mm
MOI 16301010	MOI 36301010	10 mm	2.5 mm	3.0 mm
MOI 16301011	MOI 36301011	11 mm	2.5 mm	3.0 mm
MOI 16301012	MOI 36301012	12 mm	2.5 mm	3.0 mm
MOI 16301013	MOI 36301013	13 mm	2.5 mm	3.0 mm
MOI 16301014	MOI 36301014	14 mm	2.5 mm	3.0 mm
MOI 16301016	MOI 36301016	16 mm	2.5 mm	3.0 mm
MOI 16301018	MOI 36301018	18 mm	2.5 mm	3.0 mm
MOI 16301020	MOI 36301020	20 mm	2.5 mm	3.0 mm
MOI 16301022	MOI 36301022	22 mm	2.5 mm	3.0 mm
MOI 16301024	MOI 36301024	24 mm	2.5 mm	3.0 mm
MOI 16301026	MOI 36301026	26 mm	2.5 mm	3.0 mm
MOI 16301028	MOI 36301028	28 mm	2.5 mm	3.0 mm
MOI 16301030	MOI 36301030	30 mm	2.5 mm	3.0 mm

Headless Compression Cannulated Screw - MINI

REF (SS)	REF (TIT)	Length	Tip Diameters	Tail Diameters
MOI 16302016	MOI 36302016	16 mm	3.5 mm	4.0 mm
MOI 16302018	MOI 36302018	18 mm	3.5 mm	4.0 mm
MOI 16302020	MOI 36302020	20 mm	3.5 mm	4.0 mm
MOI 16302022	MOI 36302022	22 mm	3.5 mm	4.0 mm
MOI 16302024	MOI 36302024	24 mm	3.5 mm	4.0 mm
MOI 16302026	MOI 36302026	26 mm	3.5 mm	4.0 mm
MOI 16302028	MOI 36302028	28 mm	3.5 mm	4.0 mm
MOI 16302030	MOI 36302030	30 mm	3.5 mm	4.0 mm

Headless Compression Cannulated Screw - STANDARD

REF (SS)	REF (TIT)	Length	Tip Diameters	Tail Diameters
MOI 16303016	MOI 36303016	16 mm	4.0 mm	4.5 mm
MOI 16303018	MOI 36303018	18 mm	4.0 mm	4.5 mm
MOI 16303020	MOI 36303020	20 mm	4.0 mm	4.5 mm
MOI 16303022	MOI 36303022	22 mm	4.0 mm	4.5 mm
MOI 16303024	MOI 36303024	24 mm	4.0 mm	4.5 mm
MOI 16303026	MOI 36303026	26 mm	4.0 mm	4.5 mm
MOI 16303028	MOI 36303028	28 mm	4.0 mm	4.5 mm
MOI 16303030	MOI 36303030	30 mm	4.0 mm	4.5 mm



USA OFFICE

2404 Hollywood Blvd.
Hollywood, FL 33020

PUERTO RICO OFFICE

1660 Santa Ana Street
Esq. Fidalgo Diaz,
San Juan, Puerto Rico 00909

E-mail: info@madisonorthoinc.com
Website: www.madisonorthoinc.com

