


Indications for Use


GHATS™ HERBERT Cannulated Screws, with headless compression design, are indicated for fixation of fractures and nonunions of small bones and small bone arthrodeses, including scaphoid fractures; intra-articular fractures of tarsals, metatarsals, carpals and metacarpals; bunionectomies and osteotomies; arthrodeses of small joints (e. g. phalanges); fractures of the patella, ulna and radial styloid.




Implant Features



StarDrive Recess




2.0 HERBERT Cannulated Screw, short thread




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L1
MOI 36010010	2.0	10 mm	4 mm
MOI 36010011	2.0	11 mm	4 mm
MOI 36010012	2.0	12 mm	4 mm
MOI 36010013	2.0	13 mm	4 mm
MOI 36010014	2.0	14 mm	4 mm
MOI 36010015	2.0	15 mm	4 mm
MOI 36010016	2.0	16 mm	4 mm
MOI 36010017	2.0	17 mm	4 mm
MOI 36010018	2.0	18 mm	4 mm
MOI 36010019	2.0	19 mm	4 mm
MOI 36010020	2.0	20 mm	4 mm
MOI 36010021	2.0	21 mm	4 mm
MOI 36010022	2.0	22 mm	4 mm
MOI 36010023	2.0	23 mm	4 mm
MOI 36010024	2.0	24 mm	5 mm
MOI 36010025	2.0	25 mm	5 mm
MOI 36010026	2.0	26 mm	5 mm
MOI 36010027	2.0	27 mm	6 mm
MOI 36010028	2.0	28 mm	6 mm
MOI 36010029	2.0	29 mm	6 mm
MOI 36010030	2.0	30 mm	7 mm
MOI 36010032	2.0	32 mm	7 mm
MOI 36010034	2.0	34 mm	8 mm
MOI 36010036	2.0	36 mm	9 mm
MOI 36010038	2.0	38 mm	9 mm
MOI 36010040	2.0	40 mm	10 mm

2.4 HERBERT Cannulated Screw, short thread




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L1
MOI 36001010	2.4	10 mm	4 mm
MOI 36001011	2.4	11 mm	4 mm
MOI 36001012	2.4	12 mm	4 mm
MOI 36001013	2.4	13 mm	4 mm
MOI 36001014	2.4	14 mm	4 mm
MOI 36001015	2.4	15 mm	4 mm
MOI 36001016	2.4	16 mm	4 mm
MOI 36001017	2.4	17 mm	4 mm
MOI 36001018	2.4	18 mm	4 mm
MOI 36001019	2.4	19 mm	4 mm
MOI 36001020	2.4	20 mm	4 mm
MOI 36001021	2.4	21 mm	4 mm
MOI 36001022	2.4	22 mm	4 mm
MOI 36001023	2.4	23 mm	4 mm
MOI 36001024	2.4	24 mm	5 mm
MOI 36001025	2.4	25 mm	5 mm
MOI 36001026	2.4	26 mm	5 mm
MOI 36001027	2.4	27 mm	6 mm
MOI 36001028	2.4	28 mm	6 mm
MOI 36001029	2.4	29 mm	6 mm
MOI 36001030	2.4	30 mm	7 mm
MOI 36001032	2.4	32 mm	7 mm
MOI 36001034	2.4	34 mm	8 mm
MOI 36001036	2.4	36 mm	9 mm
MOI 36001038	2.4	38 mm	9 mm
MOI 36001040	2.4	40 mm	10 mm

1.5 HERBERT Cannulated Screw, solid




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L
MOI 36019010	1.5	10 mm	4 mm
MOI 36019011	1.5	11 mm	4 mm
MOI 36019012	1.5	12 mm	4 mm
MOI 36019013	1.5	13 mm	4 mm
MOI 36019014	1.5	14 mm	4 mm
MOI 36019015	1.5	15 mm	5 mm
MOI 36019016	1.5	16 mm	5 mm
MOI 36019017	1.5	17 mm	5 mm
MOI 36019018	1.5	18 mm	5 mm
MOI 36019019	1.5	19 mm	5 mm
MOI 36019020	1.5	20 mm	6 mm

2.0 HERBERT Cannulated Screw, long thread




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L2
MOI 36011016	2.0	16 mm	4 mm
MOI 36011017	2.0	17 mm	4 mm
MOI 36011018	2.0	18 mm	4 mm
MOI 36011019	2.0	19 mm	4 mm
MOI 36011020	2.0	20 mm	4 mm
MOI 36011021	2.0	21 mm	4 mm
MOI 36011022	2.0	22 mm	4 mm
MOI 36011023	2.0	23 mm	4 mm
MOI 36011024	2.0	24 mm	4 mm
MOI 36011025	2.0	25 mm	4 mm
MOI 36011026	2.0	26 mm	4 mm
MOI 36011027	2.0	27 mm	4 mm
MOI 36011028	2.0	28 mm	4 mm
MOI 36011029	2.0	29 mm	4 mm
MOI 36011030	2.0	30 mm	5 mm
MOI 36011032	2.0	32 mm	5 mm
MOI 36011034	2.0	34 mm	5 mm
MOI 36011036	2.0	36 mm	6 mm
MOI 36011038	2.0	38 mm	6 mm
MOI 36011040	2.0	40 mm	6 mm

2.4 HERBERT Cannulated Screw, long thread




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L2
MOI 36002016	2.4	16 mm	4 mm
MOI 36002017	2.4	17 mm	4 mm
MOI 36002018	2.4	18 mm	4 mm
MOI 36002019	2.4	19 mm	4 mm
MOI 36002020	2.4	20 mm	4 mm
MOI 36002021	2.4	21 mm	4 mm
MOI 36002022	2.4	22 mm	4 mm
MOI 36002023	2.4	23 mm	4 mm
MOI 36002024	2.4	24 mm	4 mm
MOI 36002025	2.4	25 mm	4 mm
MOI 36002026	2.4	26 mm	4 mm
MOI 36002027	2.4	27 mm	4 mm
MOI 36002028	2.4	28 mm	4 mm
MOI 36002029	2.4	29 mm	4 mm
MOI 36002030	2.4	30 mm	5 mm
MOI 36002032	2.4	32 mm	5 mm
MOI 36002034	2.4	34 mm	5 mm
MOI 36002036	2.4	36 mm	6 mm
MOI 36002038	2.4	38 mm	6 mm
MOI 36002040	2.4	40 mm	6 mm

3.0 HERBERT Cannulated Screw, short thread



REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L1
MOI 36003010	3.0	10 mm	4 mm
MOI 36003011	3.0	11 mm	4 mm
MOI 36003012	3.0	12 mm	4 mm
MOI 36003013	3.0	13 mm	4 mm
MOI 36003014	3.0	14 mm	4 mm
MOI 36003015	3.0	15 mm	4 mm
MOI 36003016	3.0	16 mm	4 mm
MOI 36003017	3.0	17 mm	4 mm
MOI 36003018	3.0	18 mm	4 mm
MOI 36003019	3.0	19 mm	4 mm
MOI 36003020	3.0	20 mm	4 mm
MOI 36003021	3.0	21 mm	4 mm
MOI 36003022	3.0	22 mm	4 mm
MOI 36003023	3.0	23 mm	4 mm
MOI 36003024	3.0	24 mm	5 mm
MOI 36003025	3.0	25 mm	5 mm
MOI 36003026	3.0	26 mm	5 mm
MOI 36003027	3.0	27 mm	6 mm
MOI 36003028	3.0	28 mm	6 mm
MOI 36003029	3.0	29 mm	6 mm
MOI 36003030	3.0	30 mm	7 mm
MOI 36003032	3.0	32 mm	7 mm
MOI 36003034	3.0	34 mm	8 mm
MOI 36003036	3.0	36 mm	9 mm
MOI 36003038	3.0	38 mm	9 mm
MOI 36003040	3.0	40 mm	10 mm

3.0 HERBERT Cannulated Screw, long thread




REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L2
MOI 36004016	3.0	16 mm	5 mm
MOI 36004017	3.0	17 mm	6 mm
MOI 36004018	3.0	18 mm	6 mm
MOI 36004019	3.0	19 mm	7 mm
MOI 36004020	3.0	20 mm	7 mm
MOI 36004021	3.0	21 mm	8 mm
MOI 36004022	3.0	22 mm	8 mm
MOI 36004023	3.0	23 mm	8 mm
MOI 36004024	3.0	24 mm	8 mm
MOI 36004025	3.0	25 mm	8 mm
MOI 36004026	3.0	26 mm	10 mm
MOI 36004027	3.0	27 mm	10 mm
MOI 36004028	3.0	28 mm	10 mm
MOI 36004029	3.0	29 mm	10 mm
MOI 36004030	3.0	30 mm	12 mm
MOI 36004032	3.0	32 mm	12 mm
MOI 36004034	3.0	34 mm	14 mm
MOI 36004036	3.0	36 mm	14 mm
MOI 36004038	3.0	38 mm	16 mm
MOI 36004040	3.0	40 mm	16 mm

4.0 HERBERT Cannulated Screw, short thread



REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L1
MOI 36005016	4.0	16 mm	5 mm
MOI 36005018	4.0	18 mm	6 mm
MOI 36005020	4.0	20 mm	6 mm
MOI 36005022	4.0	22 mm	8 mm
MOI 36005024	4.0	24 mm	8 mm
MOI 36005026	4.0	26 mm	9 mm
MOI 36005028	4.0	28 mm	9 mm
MOI 36005030	4.0	30 mm	10 mm
MOI 36005032	4.0	32 mm	10 mm
MOI 36005034	4.0	34 mm	12 mm
MOI 36005036	4.0	36 mm	12 mm
MOI 36005038	4.0	38 mm	13 mm
MOI 36005040	4.0	40 mm	13 mm
MOI 36005042	4.0	42 mm	14 mm
MOI 36005044	4.0	44 mm	14 mm
MOI 36005046	4.0	46 mm	16 mm
MOI 36005048	4.0	48 mm	16 mm
MOI 36005050	4.0	50 mm	17 mm
MOI 36005052	4.0	52 mm	17 mm
MOI 36005054	4.0	54 mm	18 mm
MOI 36005056	4.0	56 mm	18 mm
MOI 36005058	4.0	58 mm	20 mm
MOI 36005060	4.0	60 mm	20 mm
MOI 36005064	4.0	64 mm	22 mm
MOI 36005068	4.0	68 mm	23 mm
MOI 36005072	4.0	72 mm	24 mm

4.0 HERBERT Cannulated Screw, long thread



REF (TIT)	DIA mm	LENGTH mm	THREAD LENGTH L2
MOI 36006020	4.0	20 mm	10 mm
MOI 36006022	4.0	22 mm	11 mm
MOI 36006024	4.0	24 mm	12 mm
MOI 36006026	4.0	26 mm	13 mm
MOI 36006028	4.0	28 mm	14 mm
MOI 36006030	4.0	30 mm	15 mm
MOI 36006032	4.0	32 mm	16 mm
MOI 36006034	4.0	34 mm	17 mm
MOI 36006036	4.0	36 mm	18 mm
MOI 36006038	4.0	38 mm	19 mm
MOI 36006040	4.0	40 mm	20 mm
MOI 36006042	4.0	42 mm	21 mm
MOI 36006044	4.0	44 mm	22 mm
MOI 36006046	4.0	46 mm	23 mm
MOI 36006048	4.0	48 mm	24 mm
MOI 36006050	4.0	50 mm	25 mm
MOI 36006052	4.0	52 mm	26 mm
MOI 36006054	4.0	54 mm	27 mm
MOI 36006056	4.0	56 mm	28 mm
MOI 36006058	4.0	58 mm	29 mm
MOI 36006060	4.0	60 mm	30 mm
MOI 36006064	4.0	64 mm	32 mm
MOI 36006068	4.0	68 mm	34 mm
MOI 36006072	4.0	72 mm	36 mm